## AMENDED APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

The second superior

Dat	te of filing in State Engineer's Office	MAR	27	<u> </u>		
				1991		
Ma	ıp filed	APR	5	1991 under 56065		
	A Character Education					
				a. Saval Ranching Company		
	Box 615 Street and No. or P.O. Box No.		,	, of		
	Massachusetts 02117	, h	ereb	y make <sup>5</sup> application for permission to appropriate the public		
				icant is a corporation, give date and place of incorporation; if a		
сор	artnership or association, give names of	members.	)			
•						
1.	The source of the proposed appropriation	on is		Lower Warm Creek Spring  Name of stream, lake, spring, underground or other source		
2.	The amount of water applied for is	0.0156	c.	f.s. second-feet		
			•	One second-foot equals 448.83 gals, per min.		
				<b>.</b>		
3.	The water to be used for stock w	rrigation, pow	er, mi	d domestic ning, manufacturing, domestic, or other use. Must limit to one use.		
4.	If use is for:					
	(a) Irrigation, state number of acres to be irrigated					
	(b) Stockwater, state number and kinds of animals to be watered 500 cattle					
	(c) Other use (describe fully under "No. 12. Remarks")					
	(d) Power:					
	(1) Horsepower developed					
_	, ,	:				
				owing point within the NE 2SW Section 2,  Describe as being within a 40-acre subdivision of public		
	survey, and by course and distance to a section corner.	If on unsurvey	ed lan			
	bears N. 67°47' E., 9388 ft.	dist.				
6.	Place of use NE 2SW Section 2,	T. 39 scribe by legal	N subdi	R. 53 E., MDM. ivision. If on unsurveyed land, it should be so stated.		
	***************************************					
	***************************************					
	· · · · · · · · · · · · · · · · · · ·		•			
				***		
7.	. Use will begin about		ind e	end aboutOctober 31 , of each year.		
8.	Description of proposed works. (Unde	r the prov	isio	ns of NRS 535.010 you may be required to submit plans and		
	specifications of your diversion or stor	age works	.)	small earthen impoundment or intake State manner in which water is to be diverted, i.e. diversion structure, ditches an		
	collection box, short pipe 1 flumes, drilled well with pump and motor, etc.	ine to	adj	acent stock watering tank		
^	Edition of the state of the sta	^		•		

10. Estimated time requir	ed to construct works.	1f well completed, describe works.
11. Estimated time requir	red to complete the ap	plication of water to beneficial use two years
12. Remarks: For use o consumptive use.	ther than irrigation or	stock watering, state number and type of units to be served or annual
to this source not interfere	to which he may with or preclude	n, the applicant does not waive any vested rights y be entitled. The appropriation contemplated will e the casual use of this source by wild life that
	ustomary access lence to the unde	. (N.R.S. 533.367). Please send copies of notices ersigned agent.
***************************************		Py s/William A. Nisbet
Compared_pm/am	cl/	By 421 Court Street Elko, Nevada 89801
-		lds, USDA-Forest Service:
	=	
	DENI	AL OF STATE ENGINEER
This is to certify that I limitations and conditions		deny regoing application, and do hereby grant the same, subject to the followng
be in the publ	ic interest.	
The amount of water to be	appropriated shall be	limited to the amount which can be applied to beneficial use, and not to
xceed	,	cubic feet per second
Work must be prosecuted	with reasonable dilige	nce and be completed on or before
Proof of completion of wo	ork shall be filed on or	before
application of water to be	neficial use shall be m	nade on or before
Proof of the application of	f water to beneficial us	se shall be filed on or before
Map in support of proof o	of beneficial use shall b	pe filed on or before
Completion of work filed		. IN TESTIMONY WHEREOF, I. R. MICHAEL TURNIPSEED, P.E
roof of beneficial use filed		State Engineer of Nevada, have hereunto set my hand and the seal of my
Cultural map filed	····	office, this 31st day of March,
Certificate No		A.D. 19. 99
(O)-5314 (Rev.)		State Engineer